

Page	Part Number	Description	List Price
<u>ALC ROOM SENSORS</u>			
A3	LSBASE2H	Room Temperature and Humidity Sensor	\$190
	LSPLUS2H	Room Temperature and Humidity Sensor with Setpoint and Override	\$200
A5	LSBASE2	Room Temperature Sensor	\$29
	LSPLUS2	Room Temperature Sensor with Setpoint and Override	\$36
<u>RuP STYLE ROOM TEMPERATURE SENSORS WITH °F INDICATION</u>			
B3	ALC/RUPF-A81-P-24-102-NL-CG ...	RuP Sensor, °F Indication and Setpoint Display Range of -3 to +3.....	\$125
	ALC/RUPF-B81-P-24-102-NL-CG ...	RuP Sensor, °F Indication and Setpoint Display Range of -5 to +5.....	\$125
	ALC/RUPF-C81-P-24-102-NL-CG ...	RuP Sensor, °F Indication and Setpoint Display Range of 50 to 90 °F	\$125
	ALC/RUPF-D81-P-24-102-NL-CG ...	RuP Sensor, °F Indication and Setpoint Display Range of 55 to 85 °F	\$125
	ALC/RUPF-E81-P-24-102-NL-CG....	RuP Sensor, °F Indication and Setpoint Display Range of 60 to 80 °F	\$125
	ALC/RUPF-F81-P-24-102-NL-CG....	RuP Sensor, °F Indication and Setpoint Display Range of 65 to 80 °F	\$125
<u>RuP STYLE ROOM TEMPERATURE SENSORS WITH °C INDICATION</u>			
	ALC/RUPC-A81-P-24-102-NL-CG	RuP Sensor, °C Indication and Setpoint Display Range of -3 to +3	\$125
	ALC/RUPC-B81-P-24-102-NL-CG	RuP Sensor, °C Indication and Setpoint Display Range of -5 to +5	\$125
	ALC/RUPC-C81-P-24-102-NL-CG	RuP Sensor, °C Indication and Setpoint Display Range of 10 to 32 °C.....	\$125
	ALC/RUPC-D81-P-24-102-NL-CG	RuP Sensor, °C Indication and Setpoint Display Range of 13 to 30 °C.....	\$125
	ALC/RUPC-E81-P-24-102-NL-CG	RuP Sensor, °C Indication and Setpoint Display Range of 15 to 27 °C.....	\$125
	ALC/RUPC-F81-P-24-102-NL-CG	RuP Sensor, °C Indication and Setpoint Display Range of 18 to 27 °C.....	\$125
<u>BAPI-STAT 3 ROOM TEMPERATURE SENSORS WITH DISPLAY AND °F INDICATION</u>			
B5	ALC/BS3F2-5M-11M-20G81CG-102-OFW....	Temp Setpoint w/ Disp. Range of 45 to 96°F, %RH Measurement & Setpoint, Override ...	\$448
	ALC/BS3F2-11M-20G81CG-102-OFW....	Temp Setpoint with Display Range of 45 to 96°F, %RH Measurement, Override..	\$398
	ALC/BS3F-20G81CG-102-OFW	Temp Setpoint with Display Range of 45 to 96°F, Override.....	\$268
	ALC/BS3F2-11M-102-OFW	No Temp Setpoint, %RH Measurement, Override.....	\$348
	ALC/BS3F-102-OFW	No Setpoint, Humidity or Override.....	\$218
<u>BAPI-STAT 3 ROOM TEMPERATURE SENSORS WITH DISPLAY AND °C INDICATION</u>			
	ALC/BS3C2-5M-11M-20G81CG-102-OFW..	Temp Setpoint w/ Disp. Range of 7 to 35°C, %RH Measurement & Setpoint, Override... \$448	
	ALC/BS3C2-11M-20G81CG-102-OFW...	Temp Setpoint with Display Range of 7 to 35°C, %RH Measurement, Override.. \$398	
	ALC/BS3C-20G81CG-102-OFW	Temp Setpoint with Display Range of 7 to 35°C, Override..... \$268	
	ALC/BS3C2-11M-102-OFW	No Temp Setpoint, %RH Measurement, Override..... \$348	
	ALC/BS3C-102-OFW	No Setpoint, Humidity or Override..... \$218	
<u>BAPI-STAT 4 ROOM TEMP SENSORS WITH BUTTONS AND °F INDICATION</u>			
B7	ALC/BS4MF-A81-P-24-102-CG-WMW	Unit with Buttons, °F Indication and Setpoint Display Range of -3 to +3.....	\$125
	ALC/BS4MF-B81-P-24-102-CG-WMW	Unit with Buttons, °F Indication and Setpoint Display Range of -5 to +5.....	\$125
	ALC/BS4MF-C81-P-24-102-CG-WMW	Unit with Buttons, °F Indication and Setpoint Display Range of 50 to 90 °F....	\$125
	ALC/BS4MF-D81-P-24-102-CG-WMW	Unit with Buttons, °F Indication and Setpoint Display Range of 55 to 85 °F....	\$125
	ALC/BS4MF-E81-P-24-102-CG-WMW	Unit with Buttons, °F Indication and Setpoint Display Range of 60 to 80 °F....	\$125
	ALC/BS4MF-F81-P-24-102-CG-WMW	Unit with Buttons, °F Indication and Setpoint Display Range of 65 to 80 °F....	\$125



Pg	Part Number	Description	List Price
B7	<u>BAPI-STAT 4 ROOM TEMP SENSORS WITH BUTTONS AND °C INDICATION</u>		
	ALC/BS4MC-A81-P-24-102-CG-WMW	Unit with Buttons, °C Indication and Setpoint Display Range of -3 to +3	\$125
	ALC/BS4MC-B81-P-24-102-CG-WMW	Unit with Buttons, °C Indication and Setpoint Display Range of -5 to +5	\$125
	ALC/BS4MC-C81-P-24-102-CG-WMW	Unit with Buttons, °C Indication and Setpoint Display Range of 10 to 32 °C	\$125
	ALC/BS4MC-D81-P-24-102-CG-WMW	Unit with Buttons, °C Indication and Setpoint Display Range of 13 to 30 °C	\$125
	ALC/BS4MC-E81-P-24-102-CG-WMW	Unit with Buttons, °C Indication and Setpoint Display Range of 15 to 27 °C	\$125
	ALC/BS4MC-F81-P-24-102-CG-WMW	Unit with Buttons, °C Indication and Setpoint Display Range of 18 to 27 °C	\$125
	<u>BAPI-STAT 4 ROOM TEMP SENSORS WITH SLIDER AND °F INDICATION</u>		
	ALC/BS4SF-A81-P-24-102-CG-WMW	Unit with Slider, °F Indication and Setpoint Display Range of -3 to +3	\$125
	ALC/BS4SF-B81-P-24-102-CG-WMW	Unit with Slider, °F Indication and Setpoint Display Range of -5 to +5	\$125
	ALC/BS4SF-C81-P-24-102-CG-WMW	Unit with Slider, °F Indication and Setpoint Display Range of 50 to 90 °F	\$125
	ALC/BS4SF-D81-P-24-102-CG-WMW	Unit with Slider, °F Indication and Setpoint Display Range of 55 to 85 °F	\$125
	ALC/BS4SF-E81-P-24-102-CG-WMW	Unit with Slider, °F Indication and Setpoint Display Range of 60 to 80 °F	\$125
	ALC/BS4SF-F81-P-24-102-CG-WMW	Unit with Slider, °F Indication and Setpoint Display Range of 65 to 80 °F	\$125
	<u>BAPI-STAT 4 ROOM TEMP SENSORS WITH SLIDER AND °C INDICATION</u>		
	ALC/BS4SC-A81-P-24-102-CG-WMW	Unit with Slider, °C Indication and Setpoint Display Range of -3 to +3	\$125
	ALC/BS4SC-B81-P-24-102-CG-WMW	Unit with Slider, °C Indication and Setpoint Display Range of -5 to +5	\$125
	ALC/BS4SC-C81-P-24-102-CG-WMW	Unit with Slider, °C Indication and Setpoint Display Range of 10 to 32 °C	\$125
	ALC/BS4SC-D81-P-24-102-CG-WMW	Unit with Slider, °C Indication and Setpoint Display Range of 13 to 30 °C	\$125
	ALC/BS4SC-E81-P-24-102-CG-WMW	Unit with Slider, °C Indication and Setpoint Display Range of 15 to 27 °C	\$125
	ALC/BS4SC-F81-P-24-102-CG-WMW	Unit with Slider, °C Indication and Setpoint Display Range of 18 to 27 °C	\$125
	<u>DECORA STYLE UNITS WITH SETPOINT, °F INDICATION AND STANDARD WALL PLATE COVER</u>		
B9	ALC/RUPDF-A81-102-CG-SWC	°F Indication and Setpoint Display Range of -3 to +3	\$125
	ALC/RUPDF-B81-102-CG-SWC	°F Indication and Setpoint Display Range of -5 to +5	\$125
	ALC/RUPDF-C81-102-CG-SWC	°F Indication and Setpoint Display Range of 50 to 90 °F (10 to 32 °C)	\$125
	ALC/RUPDF-D81-102-CG-SWC	°F Indication and Setpoint Display Range of 55 to 85 °F (13 to 30 °C)	\$125
	ALC/RUPDF-E81-102-CG-SWC	°F Indication and Setpoint Display Range of 60 to 80 °F (15 to 27 °C)	\$125
	ALC/RUPDF-F81-102-CG-SWC	°F Indication and Setpoint Display Range of 65 to 80 °F (18 to 27 °C)	\$125
	<u>DECORA STYLE UNITS WITH SETPOINT, °C INDICATION AND STANDARD WALL PLATE COVER</u>		
	ALC/RUPDC-A81-102-CG-SWC	°C Indication and Setpoint Display Range of -3 to +3	\$125
	ALC/RUPDC-B81-102-CG-SWC	°C Indication and Setpoint Display Range of -5 to +5	\$125
	ALC/RUPDC-C81-102-CG-SWC	°C Indication and Setpoint Display Range of 50 to 90 °F (10 to 32 °C)	\$125
	ALC/RUPDC-D81-102-CG-SWC	°C Indication and Setpoint Display Range of 55 to 85 °F (13 to 30 °C)	\$125
	ALC/RUPDC-E81-102-CG-SWC	°C Indication and Setpoint Display Range of 60 to 80 °F (15 to 27 °C)	\$125
	ALC/RUPDC-F81-102-CG-SWC	°C Indication and Setpoint Display Range of 65 to 80 °F (18 to 27 °C)	\$125
	<u>DECORA STYLE UNITS WITHOUT SETPOINT AND STANDARD WALL PLATE COVER</u>		
	ALC/RUPDF-102-CG-SWC	Unit with °F Indication, No Setpoint	\$125
	ALC/RUPDC-102-CG-SWC	Unit with °C Indication, No Setpoint	\$125



Pg	Part Number	Description	List Price
<u>DECORA STYLE UNITS WITH SETPOINT, °F INDICATION AND NO WALL PLATE COVER</u>			
	ALC/RUPDF-A81-102-CG-NC °F Indication and Setpoint Display Range of -3 to +3	\$115
	ALC/RUPDF-B81-102-CG-NC °F Indication and Setpoint Display Range of -5 to +5	\$115
	ALC/RUPDF-C81-102-CG-NC °F Indication and Setpoint Display Range of 50 to 90 °F (10 to 32 °C)	\$115
	ALC/RUPDF-D81-102-CG-NC °F Indication and Setpoint Display Range of 55 to 85 °F (13 to 30 °C)	\$115
	ALC/RUPDF-E81-102-CG-NC °F Indication and Setpoint Display Range of 60 to 80 °F (15 to 27 °C)	\$115
	ALC/RUPDF-F81-102-CG-NC °F Indication and Setpoint Display Range of 65 to 80 °F (18 to 27 °C)	\$115
<u>DECORA STYLE UNITS WITH SETPOINT, °C INDICATION AND NO WALL PLATE COVER</u>			
	ALC/RUPDC-A81-102-CG-NC °C Indication and Setpoint Display Range of -3 to +3	\$115
	ALC/RUPDC-B81-102-CG-NC °C Indication and Setpoint Display Range of -5 to +5	\$115
	ALC/RUPDC-C81-102-CG-NC °C Indication and Setpoint Display Range of 50 to 90 °F (10 to 32 °C)	\$115
	ALC/RUPDC-D81-102-CG-NC °C Indication and Setpoint Display Range of 55 to 85 °F (13 to 30 °C)	\$115
	ALC/RUPDC-E81-102-CG-NC °C Indication and Setpoint Display Range of 60 to 80 °F (15 to 27 °C)	\$115
	ALC/RUPDC-F81-102-CG-NC °C Indication and Setpoint Display Range of 65 to 80 °F (18 to 27 °C)	\$115
<u>DECORA STYLE UNITS WITHOUT SETPOINT AND NO WALL PLATE COVER</u>			
	ALC/RUPDF-102-CG-NC Unit with °F Indication, No Setpoint	\$115
	ALC/RUPDC-102-CG-NC Unit with °C Indication, No Setpoint	\$115
<u>BAPI-COM SYSTEM WITH DISPLAY AND °F INDICATION</u>			
B11	ALC/BS4MCOM-F-G-L6-WMW-81-P-M00-102-CG	... System with Temp Setpoint, %RH Measurement and Override	\$535
	ALC/BS4MCOM-F-G-L6-WMW-81-P-102-CG System with Temp Setpoint and Override	\$405
	ALC/BS4MCOM-F-G-L6-WMW-81-Z-102-CG System with Temp Setpoint and No Override	\$405
	ALC/BS4MCOM-F-WMW-Z-102-CG System without Temp Setpoint or Override	\$325
<u>BAPI-COM SYSTEM WITH DISPLAY AND °C INDICATION</u>			
	ALC/BS4MCOM-C-G-L6-WMW-81-P-M00-102-CG	... System with Temp Setpoint, %RH Measurement and Override	\$535
	ALC/BS4MCOM-C-G-L6-WMW-81-P-102-CG System with Temp Setpoint and Override	\$405
	ALC/BS4MCOM-C-G-L6-WMW-81-Z-102-CG System with Temp Setpoint and No Override	\$405
	ALC/BS4MCOM-C-WMW-Z-102-CG System without Temp Setpoint or Override	\$325
<u>LOW PROFILE "BUTTON" SENSOR</u>			
B12	ALC/10K-2-LPW-5 White Button Sensor with 5 feet of Plenum Rated Cable	\$27
	ALC/10K-2-LPW-10 White Button Sensor with 10 feet of Plenum Rated Cable	\$29
	ALC/10K-2-LPW-15 White Button Sensor with 15 feet of Plenum Rated Cable	\$31
	ALC/10K-2-LPB-5 Black Button Sensor with 5 feet of Plenum Rated Cable	\$32
	ALC/10K-2-LPB-10 Black Button Sensor with 10 feet of Plenum Rated Cable	\$34
	ALC/10K-2-LPB-15 Black Button Sensor with 15 feet of Plenum Rated Cable	\$36
<u>WALL PLATE TEMPERATURE SENSORS</u>			
B13	ALC/10K-2-SP Stainless Steel Wall Plate	\$18
	ALC/10K-2-SP-O Stainless Steel Wall Plate with Standard Override	\$28
	ALC/10K-2-SP-O1 Stainless Steel Wall Plate with Durable Override	\$42
	ALC/10K-2-SP-O2 Stainless Steel Wall Plate with Low Profile Override	\$75
	ALC/10K-2-SP-O2G5 Stainless Steel Wall Plate with Low Profile Override with Green LED	\$118
	ALC/10K-2-SP-O2R5 Stainless Steel Wall Plate with Low Profile Override with Red LED	\$118



Pg	Part Number	Description	List Price
<u>DUCT TEMPERATURE SENSORS WITH J-BOX ENCLOSURE</u>			
B15	ALC/10K-2-D-2"	Duct Unit with 2" Probe and J-Box Enclosure	\$25
	ALC/10K-2-D-4"	Duct Unit with 4" Probe and J-Box Enclosure	\$25
	ALC/10K-2-D-8"	Duct Unit with 8" Probe and J-Box Enclosure	\$25
	ALC/10K-2-D-12"	Duct Unit with 12" Probe and J-Box Enclosure	\$25
	ALC/10K-2-D-18"	Duct Unit with 18" Probe and J-Box Enclosure	\$25
<u>DUCT TEMPERATURE SENSORS WITH BAPI-BOX ENCLOSURE</u>			
	ALC/10K-2-D-2"-BB	Duct Unit with 2" Probe and BAPI-Box Enclosure	\$37
	ALC/10K-2-D-4"-BB	Duct Unit with 4" Probe and BAPI-Box Enclosure	\$37
	ALC/10K-2-D-8"-BB	Duct Unit with 8" Probe and BAPI-Box Enclosure	\$37
	ALC/10K-2-D-12"-BB	Duct Unit with 12" Probe and BAPI-Box Enclosure	\$37
	ALC/10K-2-D-18"-BB	Duct Unit with 18" Probe and BAPI-Box Enclosure	\$37
<u>DUCT TEMPERATURE SENSORS WITH BAPI-BOX 2 ENCLOSURE</u>			
	ALC/10K-2-D-2"-BB2	Duct Unit with 2" Probe and BAPI-Box 2 Enclosure	\$37
	ALC/10K-2-D-4"-BB2	Duct Unit with 4" Probe and BAPI-Box 2 Enclosure	\$37
	ALC/10K-2-D-8"-BB2	Duct Unit with 8" Probe and BAPI-Box 2 Enclosure	\$37
	ALC/10K-2-D-12"-BB2	Duct Unit with 12" Probe and BAPI-Box 2 Enclosure	\$37
	ALC/10K-2-D-18"-BB2	Duct Unit with 18" Probe and BAPI-Box 2 Enclosure	\$37
<u>DUCT TEMPERATURE SENSORS WITH BAPI-BOX 4 ENCLOSURE</u>			
	ALC/10K-2-D-2"-BB4	Duct Unit with 2" Probe and BAPI-Box 4 Enclosure	\$25
	ALC/10K-2-D-4"-BB4	Duct Unit with 4" Probe and BAPI-Box 4 Enclosure	\$25
	ALC/10K-2-D-8"-BB4	Duct Unit with 8" Probe and BAPI-Box 4 Enclosure	\$25
	ALC/10K-2-D-12"-BB4	Duct Unit with 12" Probe and BAPI-Box 4 Enclosure	\$25
	ALC/10K-2-D-18"-BB4	Duct Unit with 18" Probe and BAPI-Box 4 Enclosure	\$25
<u>DUCT TEMPERATURE SENSORS WITH NO ENCLOSURE AND 2" PROBE</u>			
	ALC/10K-2-D-2"-NB-18"	Duct Unit with 2" Probe, No Box with 18" Leads	\$25
	ALC/10K-2-D-2"-NB-5'	Duct Unit with 2" Probe, No Box with 5' Leads	\$27
	ALC/10K-2-D-2"-NB-10'	Duct Unit with 2" Probe, No Box with 10' Leads	\$29
	ALC/10K-2-D-2"-NB-15'	Duct Unit with 2" Probe, No Box with 15' Leads	\$31
<u>DUCT TEMPERATURE SENSORS WITH NO ENCLOSURE AND 4" PROBE</u>			
	ALC/10K-2-D-4"-NB-18"	Duct Unit with 4" Probe, No Box with 18" Leads	\$25
	ALC/10K-2-D-4"-NB-5'	Duct Unit with 4" Probe, No Box with 5' Leads	\$27
	ALC/10K-2-D-4"-NB-10'	Duct Unit with 4" Probe, No Box with 10' Leads	\$29
	ALC/10K-2-D-4"-NB-15'	Duct Unit with 4" Probe, No Box with 15' Leads	\$31
<u>DUCT TEMPERATURE SENSORS WITH NO ENCLOSURE AND 8" PROBE</u>			
	ALC/10K-2-D-8"-NB-18"	Duct Unit with 8" Probe, No Box with 18" Leads	\$25
	ALC/10K-2-D-8"-NB-5'	Duct Unit with 8" Probe, No Box with 5' Leads	\$27
	ALC/10K-2-D-8"-NB-10'	Duct Unit with 8" Probe, No Box with 10' Leads	\$29
	ALC/10K-2-D-8"-NB-15'	Duct Unit with 8" Probe, No Box with 15' Leads	\$31



Pg	Part Number	Description	List Price
----	-------------	-------------	------------

DUCT TEMPERATURE SENSORS WITH NO ENCLOSURE AND 12" PROBE

	ALC/10K-2-D-12"-NB-18"	Duct Unit with 12" Probe, No Box with 18" Leads	\$25
	ALC/10K-2-D-12"-NB-5'	Duct Unit with 12" Probe, No Box with 5' Leads	\$27
	ALC/10K-2-D-12"-NB-10'	Duct Unit with 12" Probe, No Box with 10' Leads	\$29
	ALC/10K-2-D-12"-NB-15'	Duct Unit with 12" Probe, No Box with 15' Leads	\$31

DUCT TEMPERATURE SENSORS WITH NO ENCLOSURE AND 18" PROBE

	ALC/10K-2-D-18"-NB-18"	Duct Unit with 18" Probe, No Box with 18" Leads	\$25
	ALC/10K-2-D-18"-NB-5'	Duct Unit with 18" Probe, No Box with 5' Leads	\$27
	ALC/10K-2-D-18"-NB-10'	Duct Unit with 18" Probe, No Box with 10' Leads	\$29
	ALC/10K-2-D-18"-NB-15'	Duct Unit with 18" Probe, No Box with 15' Leads	\$31

DUCT AVERAGING TEMPERATURE SENSORS WITH J-BOX ENCLOSURE

B17	ALC/10K-2-A-8'	8' Duct Averaging Unit with J-Box Enclosure	\$105
	ALC/10K-2-A-12'	12' Duct Averaging Unit with J-Box Enclosure	\$110
	ALC/10K-2-A-24'	24' Duct Averaging Unit with J-Box Enclosure	\$134

DUCT AVERAGING TEMPERATURE SENSORS WITH BAPI-BOX ENCLOSURE

	ALC/10K-2-A-8'-BB	8' Duct Averaging Unit with BAPI-Box Enclosure	\$117
	ALC/10K-2-A-12'-BB	12' Duct Averaging Unit with BAPI-Box Enclosure	\$122
	ALC/10K-2-A-24'-BB	24' Duct Averaging Unit with BAPI-Box Enclosure	\$146

DUCT AVERAGING TEMPERATURE SENSORS WITH BAPI-BOX 2 ENCLOSURE

	ALC/10K-2-A-8'-BB2	8' Duct Averaging Unit with BAPI-Box 2 Enclosure	\$117
	ALC/10K-2-A-12'-BB2	12' Duct Averaging Unit with BAPI-Box 2 Enclosure	\$122
	ALC/10K-2-A-24'-BB2	24' Duct Averaging Unit with BAPI-Box 2 Enclosure	\$146

DUCT AVERAGING TEMPERATURE SENSORS WITH BAPI-BOX 4 ENCLOSURE

	ALC/10K-2-A-8'-BB4	8' Duct Averaging Unit with BAPI-Box 4 Enclosure	\$105
	ALC/10K-2-A-12'-BB4	12' Duct Averaging Unit with BAPI-Box 4 Enclosure	\$110
	ALC/10K-2-A-24'-BB4	24' Duct Averaging Unit with BAPI-Box 4 Enclosure	\$134

DUCT AVERAGING TEMPERATURE SENSORS WITH NO ENCLOSURE

	ALC/10K-2-A-8'-NB	8' Duct Averaging Unit, No Box with 18" Leads, Plenum-Rated Cable	\$105
	ALC/10K-2-A-12'-NB	12' Duct Averaging Unit, No Box with 18" Leads, Plenum-Rated Cable	\$110
	ALC/10K-2-A-24'-NB	24' Duct Averaging Unit, No Box with 18" Leads, Plenum-Rated Cable	\$134

IMMERSION TEMPERATURE SENSORS WITH J-BOX ENCLOSURE

B19	ALC/10K-2-I-2"	2" Immersion Unit with J-Box Enclosure	\$25
	ALC/10K-2-I-4"	4" Immersion Unit with J-Box Enclosure	\$25
	ALC/10K-2-I-8"	8" Immersion Unit with J-Box Enclosure	\$25

IMMERSION TEMPERATURE SENSORS WITH BAPI-BOX ENCLOSURE

	ALC/10K-2-I-2"-BB	2" Immersion Unit with BAPI-Box Enclosure	\$37
	ALC/10K-2-I-4"-BB	4" Immersion Unit with BAPI-Box Enclosure	\$37
	ALC/10K-2-I-8"-BB	8" Immersion Unit with BAPI-Box Enclosure	\$37

Gray shaded items follow the Buy and Resale Multiplier.



Manufactured by Building Automation Products, Inc., 750 N. Royal Ave., Gays Mills, WI 54631 USA
 Ph:+1-608-735-4800 • Fax:+1-608-735-4804 • E-mail:sales@bapihvac.com • Web:www.bapihvac.com

Automated Logic and the Automated Logic logo are registered trademarks of Automated Logic Corporation

Pg	Part Number	Description	List Price
<u>IMMERSION TEMPERATURE SENSORS WITH BAPI-BOX 2 ENCLOSURE</u>			
	ALC/10K-2-I-2"-BB2	2" Immersion Unit with BAPI-Box 2 Enclosure	\$37
	ALC/10K-2-I-4"-BB2	4" Immersion Unit with BAPI-Box 2 Enclosure	\$37
	ALC/10K-2-I-8"-BB2	8" Immersion Unit with BAPI-Box 2 Enclosure	\$37
<u>IMMERSION TEMPERATURE SENSORS WITH BAPI-BOX 4 ENCLOSURE</u>			
	ALC/10K-2-I-2"-BB4	2" Immersion Unit with BAPI-Box 4 Enclosure	\$25
	ALC/10K-2-I-4"-BB4	4" Immersion Unit with BAPI-Box 4 Enclosure	\$25
	ALC/10K-2-I-8"-BB4	8" Immersion Unit with BAPI-Box 4 Enclosure	\$25
<u>THERMOWELLS</u>			
B20	ALC/2"	Two Part (Welded) Stainless Steel - 2"	\$22
	ALC/4"	Two Part (Welded) Stainless Steel - 4"	\$24
	ALC/8"	Two Part (Welded) Stainless Steel - 8"	\$28
	ALC/2"M304	Machined 304 Stainless Steel - 2"	\$32
	ALC/4"M304	Machined 304 Stainless Steel - 4"	\$44
	ALC/8"M304	Machined 304 Stainless Steel - 8"	\$65
	ALC/2"M316	Machined 316 Stainless Steel - 2"	\$44
	ALC/4"M316	Machined 316 Stainless Steel - 4"	\$50
	ALC/8"M316	Machined 316 Stainless Steel - 8"	\$80
	ALC/2"MB	Machined Brass - 2"	\$23
	ALC/4"MB	Machined Brass - 4"	\$26
	ALC/8"MB	Machined Brass - 8"	\$45
<u>CLAMP-ON STRAP TEMPERATURE SENSORS</u>			
B21	ALC/10K-2-S	Clamp-On Strap Unit with J-Box	\$28
	ALC/10K-2-S-BB2	Clamp-On Strap Unit with BAPI-Box 2 Enclosure	\$40
	ALC/10K-2-S-BB4	Clamp-On Strap Unit with BAPI-Box 4 Enclosure	\$28
<u>SPRING-LOADED STRAP TEMPERATURE SENSORS</u>			
B22	ALC/10K-2-STP	Spring-Loaded Strap Unit with J-Box	\$43
	ALC/10K-2-STP-BB2	Spring-Loaded Strap Unit with BAPI-Box 2 Enclosure	\$55
	ALC/10K-2-STP-BB4	Spring-Loaded Strap Unit with BAPI-Box 4 Enclosure	\$43
<u>OUTSIDE AIR TEMPERATURE SENSORS</u>			
B23	ALC/10K-2-O-BB	Outside Air Temperature Sensor with a BAPI-Box Enclosure	\$30
	ALC/10K-2-O-BB2	Outside Air Temperature Sensor with a BAPI-Box 2 Enclosure	\$30
<u>THERMOBUFFER TEMPERATURE SENSORS WITH HANGING BRACKET</u>			
B25	ALC/10K-2-TB-M304-1"-HB	1" Sensor, Hanging Bracket Mount	\$105
<u>THERMOBUFFER TEMPERATURE SENSORS WITH 2" 304 STAINLESS STEEL BUFFER</u>			
	ALC/10K-2-TB-M304-2"-BB	2" Sensor, 304 Stainless Steel 4.33" Cylinder Buffer, BAPI-Box Enclosure	\$222
	ALC/10K-2-TB-M304-2"-BB2	2" Sensor, 304 Stainless Steel 4.33" Cylinder Buffer, BAPI-Box 2 Enclosure	\$222
<u>THERMOBUFFER TEMPERATURE SENSORS WITH 4" 304 STAINLESS STEEL BUFFER</u>			
	ALC/10K-2-TB-M304-4"-BB	4" Sensor, 304 Stainless Steel 6.3" Cylinder Buffer, BAPI-Box Enclosure	\$222
	ALC/10K-2-TB-M304-4"-BB2	4" Sensor, 304 Stainless Steel 6.3" Cylinder Buffer, BAPI-Box 2 Enclosure	\$222

Gray shaded items follow the Buy and Resale Multiplier.



Manufactured by Building Automation Products, Inc., 750 N. Royal Ave., Gays Mills, WI 54631 USA
Ph:+1-608-735-4800 • Fax:+1-608-735-4804 • E-mail:sales@bapihvac.com • Web:www.bapihvac.com

Automated Logic and the Automated Logic logo are registered trademarks of Automated Logic Corporation

Pg	Part Number	Description	List Price
<u>THERMOBUFFER TEMPERATURE SENSORS WITH 2" ALUMINUM BUFFER</u>			
	ALC/10K-2-TB-MAL-2"-BB	2" Sensor & Aluminum 4.33" Cylinder Buffer, BAPI-Box Enclosure	\$162
	ALC/10K-2-TB-MAL-2"-BB2	2" Sensor & Aluminum 4.33" Cylinder Buffer, BAPI-Box 2 Enclosure	\$162
<u>THERMOBUFFER TEMPERATURE SENSORS WITH 4" ALUMINUM BUFFER</u>			
	ALC/10K-2-TB-MAL-4"-BB	4" Sensor & Aluminum 6.3" Cylinder Buffer, BAPI-Box Enclosure	\$162
	ALC/10K-2-TB-MAL-4"-BB2	4" Sensor & Aluminum 6.3" Cylinder Buffer, BAPI-Box 2 Enclosure	\$162
<u>BAPI-STAT 3 ROOM TEMPERATURE SENSORS WITH DISPLAY AND °F INDICATION</u>			
C3	ALC/BS3F2-5M-11M-20G81CG-102-OFW	Temp Setpoint w/ Disp. Range of 45 to 96°F, %RH Measurement & Setpoint, Override	\$448
	ALC/BS3F2-11M-20G81CG-102-OFW	Temp Setpoint with Display Range of 45 to 96°F, %RH Measurement, Override	\$398
	ALC/BS3F-20G81CG-102-OFW	Temp Setpoint with Display Range of 45 to 96°F, Override	\$268
	ALC/BS3F2-11M-102-OFW	No Temp Setpoint, %RH Measurement, Override	\$348
	ALC/BS3F-102-OFW	No Setpoint, Humidity or Override	\$218
<u>BAPI-STAT 3 ROOM TEMPERATURE SENSORS WITH DISPLAY AND °C INDICATION</u>			
	ALC/BS3C2-5M-11M-20G81CG-102-OFW	Temp Setpoint w/ Disp. Range of 7 to 35°C, %RH Measurement & Setpoint, Override	\$448
	ALC/BS3C2-11M-20G81CG-102-OFW	Temp Setpoint with Display Range of 7 to 35°C, %RH Measurement, Override	\$398
	ALC/BS3C-20G81CG-102-OFW	Temp Setpoint with Display Range of 7 to 35°C, Override	\$268
	ALC/BS3C2-11M-102-OFW	No Temp Setpoint, %RH Measurement, Override	\$348
	ALC/BS3C-102-OFW	No Setpoint, Humidity or Override	\$218
<u>BAPI-STAT 4 TEMP/HUMIDITY UNITS WITH °F DISPLAY AND TEMP SETPOINT AND OVERRIDE</u>			
C5	ALC/10K-2-H205-B4DF-A81-P-CG	BAPI-Stat 4 with Setpoint Display Range of -3 to +3	\$324
	ALC/10K-2-H205-B4DF-B81-P-CG	BAPI-Stat 4 with Setpoint Display Range of -5 to +5	\$324
	ALC/10K-2-H205-B4DF-C81-P-CG	BAPI-Stat 4 with Setpoint Display Range of 50 to 90°F	\$324
	ALC/10K-2-H205-B4DF-D81-P-CG	BAPI-Stat 4 with Setpoint Display Range of 55 to 85°F	\$324
	ALC/10K-2-H205-B4DF-E81-P-CG	BAPI-Stat 4 Temp/Humidity Unit with Setpoint Display Range of 60 to 80°F	\$324
	ALC/10K-2-H205-B4DF-F81-P-CG	BAPI-Stat 4 Temp/Humidity Unit with Setpoint Display Range of 65 to 80°F	\$324
<u>BAPI-STAT 4 TEMP/HUMIDITY UNITS WITH °C DISPLAY AND TEMP SETPOINT AND OVERRIDE</u>			
	ALC/10K-2-H205-B4DC-A81-P-CG	BAPI-Stat 4 with Setpoint Display Range of -3 to +3	\$324
	ALC/10K-2-H205-B4DC-B81-P-CG	BAPI-Stat 4 with Setpoint Display Range of -5 to +5	\$324
	ALC/10K-2-H205-B4DC-C81-P-CG	BAPI-Stat 4 with Setpoint Display Range of 10 to 32°C	\$324
	ALC/10K-2-H205-B4DC-D81-P-CG	BAPI-Stat 4 with Setpoint Display Range of 13 to 30°C	\$324
	ALC/10K-2-H205-B4DC-E81-P-CG	BAPI-Stat 4 with Setpoint Display Range of 15 to 27°C	\$324
	ALC/10K-2-H205-B4DC-F81-P-CG	BAPI-Stat 4 with Setpoint Display Range of 18 to 27°C	\$324
<u>DELTA STYLE ROOM HUMIDITY OR COMBO SENSORS</u>			
C7	ALC/H200-R	Delta Style, ±2%RH Sensor without Display	\$240
	ALC/H200-RD	Delta Style, ±2%RH Sensor with Display	\$275
	ALC/H300-R	Delta Style, ±3%RH Sensor without Display	\$240
	ALC/H300-RD	Delta Style, 3%RH Sensor with Display	\$275
	ALC/10K-2-H200-R	Delta Style, ±2%RH Temperature and Humidity Sensor without Display	\$258
	ALC/10K-2-H200-RD	Delta Style, ±2%RH Temperature and Humidity Sensor with Display	\$293
	ALC/10K-2-H300-R	Delta Style, ±3%RH Temperature and Humidity Sensor without Display	\$258
	ALC/10K-2-H300-RD	Delta Style, ±3%RH Temperature and Humidity Sensor with Display	\$293



Pg	Part Number	Description	List Price
		<u>BAPI-STAT 4 "X-COMBO" WITH TEMPERATURE AND ±2%RH MEASUREMENT AND °F DISPLAY</u>	
C9	ALC/BS4XC-F-2-15M00-20M00-35G81-CH3-102-CG-WMW.....	Temp Setpoint, %RH Setpoint and Override	\$453
	ALC/BS4XC-F-2-20M00-35G81-CH3-102-CG-WMW	Temperature Setpoint and Override.....	\$403
	ALC/BS4XC-F-2-20M00-35G81-102-CG-WMW	Temperature Setpoint and No Override	\$398
		<u>BAPI-STAT 4 "X-COMBO" UNITS WITH TEMP AND ±2%RH MEASUREMENT AND °C DISPLAY</u>	
	ALC/BS4XC-C-2-15M00-20M00-35G81-CH3-102-CG-WMW	Temp Setpoint, %RH Setpoint and Override.....	\$453
	ALC/BS4XC-C-2-20M00-35G81-CH3-102-CG-WMW	Temperature Setpoint and Override	\$403
	ALC/BS4XC-C-2-20M00-35G81-102-CG-WMW	Temperature Setpoint and No Override	\$398
		<u>BAPI-COM SYSTEM WITH DISPLAY AND °F INDICATION</u>	
C10	ALC/BS4MCOM-F-G-L6-WMW-81-P-M00-102-CG	System with Temp Setpoint, %RH Measurement and Override ..	\$535
	ALC/BS4MCOM-F-G-L6-WMW-81-P-102-CG	System with Temp Setpoint and Override.....	\$405
	ALC/BS4MCOM-F-G-L6-WMW-81-Z-102-CG.....	System with Temp Setpoint and No Override	\$405
	ALC/BS4MCOM-F-WMW-Z-102-CG	System without Temp Setpoint or Override	\$325
		<u>BAPI-COM SYSTEM WITH DISPLAY AND °C INDICATION</u>	
	ALC/BS4MCOM-C-G-L6-WMW-81-P-M00-102-CG	System with Temp Setpoint, %RH Measurement and Override ..	\$535
	ALC/BS4MCOM-C-G-L6-WMW-81-P-102-CG	System with Temp Setpoint and Override.....	\$405
	ALC/BS4MCOM-C-G-L6-WMW-81-Z-102-CG	System with Temp Setpoint and No Override	\$405
	ALC/BS4MCOM-C-WMW-Z-102-CG	System without Temp Setpoint or Override	\$325
		<u>DUCT HUMIDITY UNITS IN A BAPI-BOX ENCLOSURE</u>	
C12	ALC/H200-D-BB	Duct 2%RH Sensor with a BAPI-Box Enclosure.....	\$252
	ALC/H300-D-BB	Duct 3%RH Sensor with a BAPI-Box Enclosure.....	\$252
		<u>DUCT HUMIDITY UNITS IN A BAPI-BOX ENCLOSURE</u>	
	ALC/10K-2-H200-D-BB	Duct Temperature and 2%RH Sensor with a BAPI-Box Enclosure.....	\$270
	ALC/10K-2-H300-D-BB	Duct Temperature and 3%RH Sensor with a BAPI-Box Enclosure.....	\$270
		<u>DUCT HUMIDITY UNITS IN A BAPI-BOX 2 ENCLOSURE</u>	
	ALC/H200-D-BB2	Duct 2%RH Sensor with a BAPI-Box 2 Enclosure.....	\$252
	ALC/H300-D-BB2	Duct 3%RH Sensor with a BAPI-Box 2 Enclosure.....	\$252
		<u>DUCT HUMIDITY UNITS IN A BAPI-BOX 2 ENCLOSURE</u>	
	ALC/10K-2-H200-D-BB2	Duct Temperature and 2%RH Sensor with a BAPI-Box 2 Enclosure.....	\$270
	ALC/10K-2-H300-D-BB2	Duct Temperature and 3%RH Sensor with a BAPI-Box 2 Enclosure.....	\$270
		<u>OUTSIDE AIR HUMIDITY UNITS IN A BAPI-BOX ENCLOSURE</u>	
C13	ALC/H200-O-BB	Outside Air 2%RH Sensor with a BAPI-Box Enclosure	\$252
	ALC/H300-O-BB	Outside Air 3%RH Sensor with a BAPI-Box Enclosure	\$252
		<u>OUTSIDE AIR HUMIDITY UNITS IN A BAPI-BOX ENCLOSURE</u>	
	ALC/10K-2-H200-O-BB	Outside Air Temperature and 2%RH Sensor with a BAPI-Box Enclosure	\$270
	ALC/10K-2-H300-O-BB	Outside Air Temperature and 3%RH Sensor with a BAPI-Box Enclosure	\$270



Pg	Part Number	Description	List Price
<u>OUTSIDE AIR HUMIDITY UNITS IN A BAPI-BOX 2 ENCLOSURE</u>			
	ALC/H200-O-BB2	Outside Air 2%RH Sensor with a BAPI-Box 2 Enclosure	\$252
	ALC/H300-O-BB2	Outside Air 3%RH Sensor with a BAPI-Box 2 Enclosure	\$252
<u>OUTSIDE AIR HUMIDITY UNITS IN A BAPI-BOX 2 ENCLOSURE</u>			
	ALC/10K-2-H200-O-BB2	Outside Air Temperature and 2%RH Sensor with a BAPI-Box 2 Enclosure	\$270
	ALC/10K-2-H300-O-BB2	Outside Air Temperature and 3%RH Sensor with a BAPI-Box 2 Enclosure	\$270
<u>EZ ZONE PRESSURE SENSORS - STANDARD AND LOW RANGE</u>			
D2-5	ALC/ZPSxxxx	All EZ Pressure Units, Standard Range and Low Ranges	\$320
<u>"TOUCH" ZONE PRESSURE SENSORS - STANDARD AND LOW RANGE</u>			
D6-9	ALC/ZPTxxxx	All "Touch" Pressure Units, Standard Range and Low Ranges	\$350
<u>BAPI-BOX ZONE PRESSURE SENSORS - STANDARD, LOW AND HIGH RANGE</u>			
D10-15	ALC/ZPSxxxx	All BAPI-Box Pressure Units - Standard, Low and High Range	\$350
<u>FIXED RANGE PRESSURE (FRP) SENSORS</u>			
D16-17	ALC/ZPSxxFR	All Fixed Range Pressure Units	\$320
<u>ZONE PRESSURE PICKUP PORTS & PROBES</u>			
D18-19	ALC/ZPS-ACC01	2" X 4" Stainless Steel Wall Plate with Static Pickup	\$18
	ALC/ZPS-ACC01-102	2" X 4" Stainless Steel Wall Plate with Static Pickup & 10K-2 Temp. Sensor	\$36
	ALC/ZPS-ACC03	Room Mount Delta Style Enclosure with Static Pickup	\$15
	ALC/ZPS-ACC03-102	Room Mount Delta Style Encl. with Static Pickup & 10K-2 Temp. Sensor	\$33
	ALC/ZPS-ACC05	Ceiling Mount Square Cover with Static Pickup	\$15
	ALC/ZPS-ACC06	Ceiling Mount Rectangular 2" X 4" Cover and Box with Static Pickup	\$17
	ALC/ZPS-ACC07	Static Pressure Probe Assembly, 6" long	\$28
	ALC/ZPS-ACC08	Static Tube Only (6") with Circular Foam	\$13
	ALC/ZPS-ACC09	Rubber Hoses with Surge Dampener	\$15
	ALC/ZPS-ACC11	Pitot Pressure Probe Assy, 3.5" long (includes the Static & Total Probe Assy)	\$72
	ALC/ZPS-ACC12	Pitot Pressure Probe Assy, 6" long (includes Static & Total Probe Assy)	\$72
	ALC/ZPS-ACC13	Total Tube Only (3.5") w/ Circular Foam (doesn't include hoses & dampener)	\$14
	ALC/ZPS-ACC14	Total Tube Only (6") with Circular Foam (doesn't include hoses & dampener)	\$14
	ALC/ZPS-ACC15	Surge Dampener Only, 5 micron	\$8
	ALC/ZPS-ACC17	Static Tube Only (0.5") with Circular Foam (doesn't include hoses & damper)	\$10.50
	ALC/ZPS-ACC18	2 Static Pressure Tube Assemblies, 6" Long	\$56
	ALC/ZPS-ACC21	Static Tube Only (6") with Circular Foam and Mounting Screws (doesn't include hoses & damper)	\$30
	ALC/ZPS-ACC22	Static Tube Only, Zero Length, with Circular Foam and Mounting Screws	\$7.50
<u>LOW PROFILE "BUTTON" PRESSURE PICKUP PORT</u>			
D20	ALC/ZPS-ACC20	Low Profile Pressure Pickup Port	\$30
<u>OUTSIDE AIR PRESSURE PICKUP PORT</u>			
D21	ALC/ZPS-ACC10	Outside Air Pressure Pickup Port	\$45
	ALC/ZPS-ACC10-V	Vertical Mount Outside Air Pressure Pickup Port	\$45



Page	Part Number	Description	List Price
	<u>PRESSURE SWITCH</u>		
D22	ALC/ZPS-SW1	Differential Pressure Switch, 0.12" to 0.52" W.C. (30 Pa to 130 Pa)	\$84
	ALC/ZPS-SW2	Differential Pressure Switch, 0.40" to 1.40" W.C. (100 Pa to 350 Pa)	\$84
	ALC/ZPS-SW3	Differential Pressure Switch, 1.20" to 2.40" W.C. (300 Pa to 600 Pa)	\$84
	ALC/ZPS-SW4	Differential Pressure Switch, 2.40" to 6.42" W.C. (600 Pa to 1,600 Pa)	\$98
	ALC/ZPS-SW5	Differential Pressure Switch, 5.22" to 12.84" W.C. (1,300 Pa to 3,200 Pa)	\$98
	ALC/ZPS-SW6	Differential Pressure Switch, 11.64" to 23.68" W.C. (2,900 Pa to 5,900 Pa)	\$98
	ALC/ZPS-SW7	Differential Pressure Switch, 21.68" to 35.32" W.C. (5,400 Pa to 8,800 Pa)	\$98
	ALC/SQ1BIT	Square Screwdriver Bit to turn the Pressure Adjustment Screw	\$1 (net)
	<u>VOC ROOM SENSOR IN A BAPI-STAT 3 ENCLOSURE WITH DISPLAY AND °F INDICATION</u>		
E3	ALC/BS3F-VOC05-H205-G81L6-102-P-BNK	VOC, Temp, Temp Setpoint, ±2%RH and Override	\$619
	ALC/BS3F-VOC05-G81L6-102-P-BNK	VOC, Temp, Temp Setpoint and Override	\$539
	ALC/BS3F-VOC05-G81L6-102-Z-BNK	VOC, Temp, Temp Setpoint and No Override	\$534
	ALC/BS3F-VOC05-102-Z-BNK	VOC, Temp and No Override	\$528
	ALC/BS3F-VOC05-Z-BNK	VOC Only, No Temp Output and No Override	\$510
	<u>VOC ROOM SENSOR IN A BAPI-STAT 3 ENCLOSURE WITH DISPLAY AND °C INDICATION</u>		
	ALC/BS3C-VOC05-H205-G81L6-102-P-BNK	VOC, Temp, Temp Setpoint, ±2%RH and Override	\$619
	ALC/BS3C-VOC05-G81L6-102-P-BNK	VOC, Temp, Temp Setpoint and Override	\$539
	ALC/BS3C-VOC05-G81L6-102-Z-BNK	VOC, Temp, Temp Setpoint and No Override	\$534
	ALC/BS3C-VOC05-102-Z-BNK	VOC, Temp and No Override	\$528
	ALC/BS3C-VOC05-Z-BNK	VOC Only, No Temp Output and No Override	\$510
	<u>VOC ROOM SENSOR IN A BAPI-STAT 4 ENCLOSURE</u>		
E4	ALC/BS4-VOC05-LED	VOC Sensor, 0 to 5 Volt DC Output, BAPI-Stat 4 Enclosure, 3-Color LED	\$425
	ALC/BS4-VOC05-BNK	VOC Sensor, 0 to 5 Volt DC Output, BAPI-Stat 4 Enclosure	\$425
	ALC/BS4-VOC10-LED	VOC Sensor, 0 to 10 Volt DC Output, BAPI-Stat 4 Enclosure, 3-Color LED	\$425
	ALC/BS4-VOC10-BNK	VOC Sensor, 0 to 10 Volt DC Output, BAPI-Stat 4 Enclosure	\$425
	<u>VOC DUCT SENSOR</u>		
E5	ALC/VOC05-D-BB	VOC Sensor, 0 to 5 Volt DC Output, BAPI-Box Enclosure	\$487
	ALC/VOC10-D-BB	VOC Sensor, 0 to 10 Volt DC Output, BAPI-Box Enclosure	\$487
	<u>VOC ROUGH SERVICE SENSOR</u>		
	ALC/VOC05-V-BB	VOC Rough Service, 0 to 5 Volt DC Output, Ventilated BAPI-Box Enclosure	\$555
	ALC/VOC10-V-BB	VOC Rough Service, 0 to 10 Volt DC Output, Ventilated BAPI-Box Enclosure	\$555
	<u>CO2 ROOM SENSOR IN A BAPI-STAT 3 ENCLOSURE WITH DISPLAY AND °F INDICATION</u>		
E7	ALC/BS3F-ACD05-H205-G81L6-102-P-BNK	CO2, Temp, Temp Setpoint, ±2%RH and Override	\$619
	ALC/BS3F-ACD05-G81L6-102-P-BNK	CO2, Temp, Temp Setpoint and Override	\$539
	ALC/BS3F-ACD05-G81L6-102-Z-BNK	CO2, Temp, Temp Setpoint and No Override	\$534
	ALC/BS3F-ACD05-102-Z-BNK	CO2, Temp and No Override	\$528
	ALC/BS3F-ACD05-Z-BNK	CO2 Only, No Temp Output and No Override	\$510
	<u>CO2 ROOM SENSOR IN A BAPI-STAT 3 ENCLOSURE WITH DISPLAY AND °C INDICATION</u>		
E7	ALC/BS3C-ACD05-H205-G81L6-102-P-BNK	CO2, Temp, Temp Setpoint, ±2%RH and Override	\$619
	ALC/BS3C-ACD05-G81L6-102-P-BNK	CO2, Temp, Temp Setpoint and Override	\$539
	ALC/BS3C-ACD05-G81L6-102-Z-BNK	CO2, Temp, Temp Setpoint and No Override	\$534
	ALC/BS3C-ACD05-102-Z-BNK	CO2, Temp and No Override	\$528
	ALC/BS3C-ACD05-Z-BNK	CO2 Only, No Temp Output and No Override	\$510



Pg	Part Number	Description	List Price
<u>"24/7" CO2 ROOM SENSOR IN A BAPI-STAT 3 ENCLOSURE WITH DISPLAY AND °F INDICATION</u>			
E9	ALC/BS3F-DCD05-H205-G81L6-102-P-BNK	"24/7" CO2, Temp, Temp Setpoint, ±2%RH and Override.....	\$649
	ALC/BS3F-DCD05-G81L6-102-P-BNK	"24/7" CO2, Temp, Temp Setpoint and Override	\$569
	ALC/BS3F-DCD05-G81L6-102-Z-BNK	"24/7" CO2, Temp, Temp Setpoint and No Override.....	\$564
	ALC/BS3F-DCD05-102-Z-BNK	"24/7" CO2, Temp and No Override	\$558
	ALC/BS3F-DCD05-Z-BNK	"24/7" CO2 Only, No Temp Output and No Override	\$540
<u>"24/7" CO2 ROOM SENSOR IN A BAPI-STAT 3 ENCLOSURE WITH DISPLAY AND °C INDICATION</u>			
	ALC/BS3C-DCD05-H205-G81L6-102-P-BNK	"24/7" CO2, Temp, Temp Setpoint, ±2%RH and Override.....	\$649
	ALC/BS3C-DCD05-G81L6-102-P-BNK	"24/7" CO2, Temp, Temp Setpoint and Override	\$569
	ALC/BS3C-DCD05-G81L6-102-Z-BNK	"24/7" CO2, Temp, Temp Setpoint and No Override.....	\$564
	ALC/BS3C-DCD05-102-Z-BNK	"24/7" CO2, Temp and No Override	\$558
	ALC/BS3C-DCD05-Z-BNK	"24/7" CO2 Only, No Temp Output and No Override	\$540
<u>CO2 ROOM SENSOR IN A BAPI-STAT 4 ENCLOSURE</u>			
E10	ALC/BS4-ACD05-LED	CO2 Sensor, 0 to 5 VDC Output, BAPI-Stat 4 Encl., 3-Color LED	\$425
	ALC/BS4-ACD05-BNK	CO2 Sensor, 0 to 5 VDC Output, BAPI-Stat 4 Encl.	\$425
	ALC/BS4-ACD10-LED	CO2 Sensor, 0 to 10 VDC Output, BAPI-Stat 4 Encl., 3-Color LED	\$425
	ALC/BS4-ACD10-BNK	CO2 Sensor, 0 to 10 VDC Output, BAPI-Stat 4 Encl.....	\$425
<u>"24/7" CO2 ROOM SENSOR IN A BAPI-STAT 4 ENCLOSURE</u>			
E11	ALC/BS4-DCD05-LED	0 to 2,000 PPM Range, 0 to 5 VDC Output, BAPI-Stat 4 Encl., 3-Color LED	\$455
	ALC/BS4-DCD05-BNK	0 to 2,000 PPM Range, 0 to 5 VDC Output, BAPI-Stat 4 Encl.	\$455
	ALC/BS4-DCD10-LED	0 to 2,000 PPM Range, 0 to 10 VDC Output, BAPI-Stat 4 Encl., 3-Color LED	\$455
	ALC/BS4-DCD10-BNK	0 to 2,000 PPM Range, 0 to 10 VDC Output, BAPI-Stat 4 Encl.	\$455
	ALC/BS4-DCD05-5K-BNK	0 to 5,000 PPM Range, Dual Channel, 0 to 5 VDC Output, No LED	\$455
	ALC/BS4-DCD10-5K-BNK	0 to 5,000 PPM Range, Dual Channel, 0 to 10 VDC Output, No LED	\$455
	ALC/BS4-DCD05-10K-BNK	0 to 10,000 PPM Range, Dual Channel, 0 to 5 VDC Output, No LED	\$455
	ALC/BS4-DCD10-10K-BNK	0 to 10,000 PPM Range, Dual Channel, 0 to 10 VDC Output, No LED	\$455
	ALC/BS4-DCD05-50K-BNK	0 to 50,000 PPM Range, Dual Channel, 0 to 5 VDC Output, No LED	\$455
	ALC/BS4-DCD10-50K-BNK	0 to 50,000 PPM Range, Dual Channel, 0 to 10 VDC Output, No LED	\$455
<u>CO2 DUCT SENSOR FOR PERIODICALLY OCCUPIED AREAS</u>			
E12	ALC/ACD05-D-BB-LED	CO2 Duct Sensor, 0 to 5 VDC Output, BAPI-Box Encl., 3-Color LED	\$470
	ALC/ACD05-D-BB-BNK	CO2 Duct Sensor, 0 to 5 VDC Output, BAPI-Box Enclosure.....	\$470
	ALC/ACD10-D-BB-LED	CO2 Duct Sensor, 0 to 10 VDC Output, BAPI-Box Encl., 3-Color LED	\$470
	ALC/ACD10-D-BB-BNK	CO2 Duct Sensor, 0 to 10 VDC Output, BAPI-Box Enclosure.....	\$470
<u>CO2 ROUGH SERVICE SENSOR FOR PERIODICALLY OCCUPIED AREAS</u>			
E12	ALC/ACD05-V-BB-LED	CO2 Rough Service, 0 to 5 VDC Output, Ventilated BAPI-Box, 3-Color LED	\$538
	ALC/ACD05-V-BB-BNK	CO2 Rough Service, 0 to 5 VDC Output, Ventilated BAPI-Box.....	\$538
	ALC/ACD10-V-BB-LED	CO2 Rough Service, 0 to 10 VDC Output, Ventilated BAPI-Box, 3-Color LED	\$538
	ALC/ACD10-V-BB-BNK	CO2 Rough Service 0 to 10 VDC Output, Ventilated BAPI-Box.	\$538
<u>"24/7" CO2 DUCT SENSOR FOR CONTINUOUSLY OCCUPIED AREAS</u>			
E14	ALC/DCD05-D-BB-LED	CO2 Duct Sensor, 0 to 5 VDC Output, BAPI-Box, 3-Color LED	\$500
	ALC/DCD05-D-BB-BNK	CO2 Duct Sensor, 0 to 5 VDC Output, BAPI-Box Enclosure.....	\$500
	ALC/DCD10-D-BB-LED	CO2 Duct Sensor, 0 to 10 VDC Output, BAPI-Box, 3-Color LED	\$500
	ALC/DCD10-D-BB-BNK	CO2 Duct Sensor, 0 to 10 VDC Output, BAPI-Box Enclosure	\$500



Page	Part Number	Description	List Price
<u>"24/7" CO2 ROUGH SERVICE SENSOR FOR CONTINUOUSLY OCCUPIED AREAS</u>			
E14	ALC/DCD05-V-BB-LED	Rough Serv. 0 to 2,000 PPM Unit, Dual Ch., 0 to 5 VDC Output, 3-Color LED.....	\$568
	ALC/DCD05-V-BB-BNK	Rough Serv. 0 to 2,000 PPM Unit, Dual Ch., 0 to 5 VDC Output, No LED.....	\$568
	ALC/DCD10-V-BB-LED	Rough Serv. 0 to 2,000 PPM Unit, Dual Ch., 0 to 10 VDC Output, 3-Color LED.....	\$568
	ALC/DCD10-V-BB-BNK	Rough Serv. 0 to 2,000 PPM Unit, Dual Ch., 0 to 10 VDC Output, No LED.....	\$568
	ALC/DCD05-5K-V-BB-BNK	Rough Serv. 0 to 5,000 PPM Unit, Dual Ch., 0 to 5 VDC Output, No LED.....	\$568
	ALC/DCD10-5K-V-BB-BNK	Rough Serv. 0 to 5,000 PPM Unit, Dual Ch., 0 to 10 VDC Output, No LED.....	\$568
	ALC/DCD05-10K-V-BB-BNK	Rough Serv. 0 to 10,000 PPM Unit, Dual Ch., 0 to 5 VDC Output, No LED.....	\$568
	ALC/DCD10-10K-V-BB-BNK	Rough Serv. 0 to 10,000 PPM Unit, Dual Ch., 0 to 10 VDC Output, No LED.....	\$568
	ALC/DCD05-50K-V-BB-BNK	Rough Serv. 0 to 50,000 PPM Unit, Dual Ch., 0 to 5 VDC Output, No LED.....	\$568
	ALC/DCD10-50K-V-BB-BNK	Rough Serv. 0 to 50,000 PPM Unit, Dual Ch., 0 to 10 VDC Output, No LED.....	\$568
<u>REFRIGERANT LEAK DETECTOR</u>			
E16	ALC/RLD	Refrigerant Leak Detector in a BAPI-Box Enclosure.....	\$465
<u>CARBON MONOXIDE SENSORS IN A BAPI-BOX WITH DISPLAY, DUCT AND ROUGH SERVICE</u>			
E17	ALC/CO-V-BB	Carbon Monoxide for Rough Service Areas (Ventilated BAPI-Box).....	\$900
	ALC/CO-D-BB	Carbon Monoxide for Ducts (BAPI-Box with Aspiration Tube).....	\$832
	ALC/COS	Factory Calibrated Replacement CO Module.....	\$250
<u>CARBON MONOXIDE SENSORS IN A ROUND EU STYLE ENCLOSURE WITH DISPLAY</u>			
E18	ALC/420CO-1-D-EUO	CO Sensor, 4 to 20 mA, 0 to 100PPM, Outdoor EU Enclosure with Display.....	\$490
	ALC/420CO-3-D-EUO	CO Sensor, 4 to 20 mA, 0 to 300PPM, Outdoor EU Enclosure with Display.....	\$490
<u>CARBON MONOXIDE SENSORS IN A ROUND EU STYLE ENCLOSURE WITHOUT DISPLAY</u>			
	ALC/420CO-1-ND-EUO	CO Sensor, 4 to 20 mA, 0 to 100PPM, Outdoor EU Enclosure.....	\$400
	ALC/420CO-1-ND-EUO	CO Sensor, 4 to 20 mA, 0 to 300PPM, Outdoor EU Enclosure.....	\$400
<u>CO2 SENSOR CALIBRATION KIT</u>			
E19	ALC/CO2-KIT	CO2 Sensor Calibration Kit.....	\$155
	ALC/CO2-KIT-CASE	CO2 Sensor Calibration Kit with Carrying Case.....	\$600
<u>VOC SENSOR VERIFICATION KIT</u>			
E20	ALC/VOC-KIT	VOC Sensor Verification Kit.....	\$18
<u>UO4R OUTPUT RELAY BOARD</u>			
F2	UO4R	UO4R Output Relay Board.....	\$115
<u>RELAY PACK FOR THE ALC ZN551 CONTROLLER</u>			
F3	ALC/RP-ZN551	Relay Pack for the ALC ZN551 Controller.....	\$240
<u>OUTPUT TERMINAL BOARDS</u>			
F4	OUT80B	Designed for M8102, M8102NX, M880NX, MX880, M16160 or MX16160 Controllers...	\$85
	OUT66	Designed for SE6166 Controller.....	\$120
	OUT64A	Designed for SE6104A Controller.....	\$100
	OUT40	Designed for M4106P, MX4106P, M4106NX, M4106, MX4106, or MX440 Controllers...	\$55
	UIUO4	Designed for ME812U, MEX816U, MEX88U, MEX016U, ME812U-LGR.....	\$36
<u>BLÜ-TEST BLUETOOTH TEMP/HUMIDITY MEASUREMENT PROBE</u>			
F5	ALC/BTP- T	Blü-Test Bluetooth Temperature Only Probe (Free Download App).....	\$500
	ALC/BTP- T-C	Blü-Test Bluetooth Temperature Only Probe & Carrying Case (room for 4 probes) ..	\$535
	ALC/BTP- T-RH	Blü-Test Bluetooth Temp/Humidity Probe (Free Download App).....	\$500



Page	Part Number	Description	List Price
	ALC/BTP- T-RH-C	Blü-Test Bluetooth Temp/Humidity Probe & Carrying Case (room for 4 probes)	\$535
	ALC/BTP-RECERTIFY	Blü-Test probe recertification with NIST certificate and battery	\$100 net
	ALC/PCH-1	Probe Clip Hanger (one included with each Blü-Test Probe)	\$10
	ALC/BAT-CR2	Replacement Battery for the Blü-Test Probe, 3 to 3.6V 1,000 mAh	\$20
<u>WATER LEAK DETECTORS WITH BUILT IN SENSOR</u>			
F7	ALC/LDT1-PS-BB	One 0.5A SPST relay output and built in sensor	\$158
	ALC/LDT1-PS-BB-LTF	One 0.5A SPST relay output and built in sensor, Liquid Tight Fitting	\$168
	ALC/LDT1-PS-BB-GFF	One 0.5A SPST relay output and built in sensor, Flex Connector	\$159
	ALC/LDT2-PS-BB	Two 0.5A SPST relay outputs and built in sensor	\$168
	ALC/LDT2-PS-BB-LTF	Two 0.5A SPST relay outputs and built in sensor, Liquid Tight Fitting	\$178
	ALC/LDT2-PS-BB-GFF	Two 0.5A SPST relay outputs and built in sensor, Flex Connector	\$169
<u>WATER LEAK DETECTORS WITH REMOTE SENSOR AND 5' FEP CABLE</u>			
F7	ALC/LDT1-RS5-BB	One 0.5A SPST relay output, remote sensor, 5' FEP cable	\$162
	ALC/LDT1-RS5-BB-LTF	One 0.5A SPST relay output, remote sensor, 5' FEP cable, Liquid Tight Fitting	\$172
	ALC/LDT1-RS5-BB-GFF	One 0.5A SPST relay output, remote sensor, 5' FEP cable, Flex Connector	\$163
	ALC/LDT2-RS5-BB	Two 0.5A SPST relay outputs, remote sensor, 5' FEP cable	\$172
	ALC/LDT2-RS5-BB-LTF	Two 0.5A SPST relay outputs, remote sensor, 5' FEP cable, Liquid Tight Fitting	\$182
	ALC/LDT2-RS5-BB-GFF	Two 0.5A SPST relay outputs, remote sensor, 5' FEP cable, Flex Connector	\$173
<u>WATER LEAK DETECTORS WITH REMOTE SENSOR AND 10' FEP CABLE</u>			
	ALC/LDT1-RS10-BB	One 0.5A SPST relay output, remote sensor, 10' FEP cable	\$167
	ALC/LDT1-RS10-BB-LTF	One 0.5A SPST relay output, remote sensor, 10' FEP cable, Liquid Tight Fitting	\$177
	ALC/LDT1-RS10-BB-GFF	One 0.5A SPST relay output, remote sensor, 10' FEP cable, Flex Connector	\$168
	ALC/LDT2-RS10-BB	Two 0.5A SPST relay outputs, remote sensor, 10' FEP cable	\$177
	ALC/LDT2-RS10-BB-LTF	Two 0.5A SPST relay outputs, remote sensor, 10' FEP cable, Liquid Tight Fitting	\$187
	ALC/LDT2-RS10-BB-GFF	Two 0.5A SPST relay outputs, remote sensor, 10' FEP cable, Flex Connector	\$178
<u>WATER LEAK DETECTORS WITH REMOTE SENSOR AND 25' FEP CABLE</u>			
	ALC/LDT1-RS25-BB	One 0.5A SPST relay output, remote sensor, 25' FEP cable	\$182
	ALC/LDT1-RS25-BB-LTF	One 0.5A SPST relay output, remote sensor, 25' FEP cable, Liquid Tight Fitting	\$192
	ALC/LDT1-RS25-BB-GFF	One 0.5A SPST relay output, remote sensor, 25' FEP cable, Flex Connector	\$183
	ALC/LDT2-RS25-BB	Two 0.5A SPST relay outputs, remote sensor, 25' FEP cable	\$192
	ALC/LDT2-RS25-BB-LTF	Two 0.5A SPST relay outputs, remote sensor, 25' FEP cable, Liquid Tight Fitting	\$202
	ALC/LDT2-RS25-BB-GFF	Two 0.5A SPST relay outputs, remote sensor, 25' FEP cable, Flex Connector	\$193
<u>WATER LEAK DETECTORS WITH REMOTE ROPE SENSOR AND 10' PLENUM-RATED CABLE</u>			
	ALC/LDT1-RR10-BB	One 0.5A SPST relay output, rope sensor with 10' plenum-rated cable	\$300
	ALC/LDT1-RR10-BB-LTF	One 0.5A SPST relay output, rope sensor with 10' plenum-rated cable, Liquid Tight Fitting	\$310
	ALC/LDT1-RR10-BB-GFF	One 0.5A SPST relay output, rope sensor with 10' plenum-rated cable, Flex Connector	\$301
	ALC/LDT2-RR10-BB	Two 0.5A SPST relay outputs, rope sensor with 10' plenum-rated cable	\$310
	ALC/LDT2-RR10-BB-LTF	Two 0.5A SPST relay outputs, rope sensor with 10' plenum-rated cable, Liquid Tight Fitting	\$320
	ALC/LDT2-RR10-BB-GFF	Two 0.5A SPST relay outputs, rope sensor with 10' plenum-rated cable, Flex Connector	\$311
<u>WATER LEAK DETECTORS WITH REMOTE ROPE SENSOR AND 25' PLENUM-RATED CABLE</u>			
	ALC/LDT1-RR25-BB	One 0.5A SPST relay output, rope sensor with 25' plenum-rated cable	\$549
	ALC/LDT1-RR25-BB-LTF	One 0.5A SPST relay output, rope sensor with 25' plenum-rated cable, Liquid Tight Fitting	\$559
	ALC/LDT1-RR25-BB-GFF	One 0.5A SPST relay output, rope sensor with 25' plenum-rated cable, Flex Connector	\$550

Gray shaded items follow the Buy and Resale Multiplier.



Manufactured by Building Automation Products, Inc., 750 N. Royal Ave., Gays Mills, WI 54631 USA
 Ph:+1-608-735-4800 • Fax:+1-608-735-4804 • E-mail:sales@bapihvac.com • Web:www.bapihvac.com

Automated Logic and the Automated Logic logo are registered trademarks of Automated Logic Corporation

Page	Part Number	Description	List Price
	ALC/LDT2-RR25-BB	Two 0.5A SPST relay outputs, rope sensor with 25' plenum-rated cable	\$559
	ALC/LDT2-RR25-BB-LTF	Two 0.5A SPST relay outputs, rope sensor with 25' plenum-rated cable, Liquid Tight Fitting	\$569
	ALC/LDT2-RR25-BB-GFF	Two 0.5A SPST relay outputs, rope sensor with 25' plenum-rated cable, Flex Connector	\$560
<u>WATER LEAK DETECTORS WITH REMOTE ROPE SENSOR AND 50' PLENUM-RATED CABLE</u>			
	ALC/LDT1-RR50-BB	One 0.5A SPST relay output, rope sensor with 50' plenum-rated cable	\$965
	ALC/LDT1-RR50-BB-LTF	One 0.5A SPST relay output, rope sensor with 50' plenum-rated cable, Liquid Tight Fitting	\$975
	ALC/LDT1-RR50-BB-GFF	One 0.5A SPST relay output, rope sensor with 50' plenum-rated cable, Flex Connector	\$966
	ALC/LDT2-RR50-BB	Two 0.5A SPST relay outputs, rope sensor with 50' plenum-rated cable	\$975
	ALC/LDT2-RR50-BB-LTF	Two 0.5A SPST relay outputs, rope sensor with 50' plenum-rated cable, Liquid Tight Fitting	\$985
	ALC/LDT2-RR50-BB-GFF	Two 0.5A SPST relay outputs, rope sensor with 50' plenum-rated cable, Flex Connector	\$976
<u>WATER LEAK DETECTORS WITH REMOTE ROPE SENSOR AND 100' PLENUM-RATED CABLE</u>			
F7	ALC/LDT1-RR100-BB	One 0.5A SPST relay output, rope sensor with 100' plenum-rated cable	\$1797
	ALC/LDT1-RR100-BB-LTF	One 0.5A SPST relay output, rope sensor with 100' plenum-rated cable, Liquid Tight Fitting	\$1807
	ALC/LDT1-RR100-BB-GFF	One 0.5A SPST relay output, rope sensor with 100' plenum-rated cable, Flex Connector	\$1798
	ALC/LDT2-RR100-BB	Two 0.5A SPST relay outputs, rope sensor with 100' plenum-rated cable	\$1807
	ALC/LDT2-RR100-BB-LTF	Two 0.5A SPST relay outputs, rope sensor with 100' plenum-rated cable, Liquid Tight Fitting	\$1817
	ALC/LDT2-RR100-BB-GFF	Two 0.5A SPST relay outputs, rope sensor with 100' plenum-rated cable, Flex Connector	\$1808
<u>350MA "EZ" VOLTAGE CONVERTERS</u>			
F8	ALC/VC350A-EZ-5	5 VDC at 350 mA EZ Voltage Converter	\$33
	ALC/VC350A-EZ-10	10 VDC at 350 mA EZ Voltage Converter	\$33
	ALC/VC350A-EZ-12	12 VDC at 350 mA EZ Voltage Converter	\$33
	ALC/VC350A-EZ-15	15 VDC at 350 mA EZ Voltage Converter	\$33
	ALC/VC350A-EZ-ADJ	5 to 24 VDC (adj.) at 350 mA EZ Voltage Converter	\$33
<u>350MA SNAPTRACK MOUNTABLE VOLTAGE CONVERTERS</u>			
F9	ALC/VC350A-5	5 VDC at 350 mA EZ Voltage Converter	\$25
	ALC/VC350A-10	10 VDC at 350 mA EZ Voltage Converter	\$25
	ALC/VC350A-12	12 VDC at 350 mA EZ Voltage Converter	\$25
	ALC/VC350A-15	15 VDC at 350 mA EZ Voltage Converter	\$25
	ALC/VC350A-ADJ	5 to 24 VDC (adj.) at 350 mA EZ Voltage Converter	\$25
<u>350MA SNAPTRACK MOUNTABLE VOLTAGE CONVERTERS WITH SNAPTRACK</u>			
	ALC/VC350A-5-TRK	5 VDC at 350 mA with a 1.25" wide piece of 2.75" snaptrack	\$30
	ALC/VC350A-10-TRK	10 VDC at 350 mA with a 1.25" wide piece of 2.75" snaptrack	\$30
	ALC/VC350A-12-TRK	12 VDC at 350 mA with a 1.25" wide piece of 2.75" snaptrack	\$30
	ALC/VC350A-15-TRK	15 VDC at 350 mA with a 1.25" wide piece of 2.75" snaptrack	\$30
	ALC/VC350A-ADJ-TRK	5 to 24 VDC (adj.) at 350 mA with a 1.25" wide piece of 2.75" snaptrack	\$30

Gray shaded items follow the Buy and Resale Multiplier.



Manufactured by Building Automation Products, Inc., 750 N. Royal Ave., Gays Mills, WI 54631 USA
Ph:+1-608-735-4800 • Fax:+1-608-735-4804 • E-mail:sales@bapihvac.com • Web:www.bapihvac.com

Automated Logic and the Automated Logic logo are registered trademarks of Automated Logic Corporation

Page	Part Number	Description	List Price
<u>SEALANT FILLED CONNECTORS</u>			
F10	ALC/SFC1000-100	100 Crimp-On Style SFCs	\$10
	ALC/SFC1000-500	500 Crimp-On Style SFCs	\$50
	ALC/SFC1000-1000	1,000 Crimp-On Style SFCs	\$100
	ALC/SFC2000-100	100 Twist-On Style SFCs	\$120
	ALC/SFC2000-500	500 Twist-On Style SFCs	\$600
	ALC/SFC2000-1000	1,000 Twist-On Style SFCs	\$1,200
	ALC/SFC3000-100	100 Crimp-On SFC3000 Style SFCs	\$20
	ALC/SFC3000-500	500 Crimp-On SFC3000 Style SFCs	\$100
	ALC/SFC3000-1000	1,000 Crimp-On SFC3000 Style SFCs	\$200
<u>FOAMBACK INSULATOR</u>			
F10	ALC/Foamback	White Foamback Insulator (2.6" wide, 4.4" high, .25" thick)	\$1
	ALC/Foamback-Room	White Foamback (2.6" wide, 4.4" high, .125" thick)	\$1
	ALC/Foamback-Grey	Grey Foamback Insulator (2.8" wide, 4.6" high, .25" thick)	\$1
<u>SCREWDRIVER AND ALLEN WRENCH COMBINATION</u>			
F10	ALC/116W	BAPI 6.75" Screwdriver & Allen Wrench Combination	\$20
	ALC/116	BAPI 6" Screwdriver & Allen Wrench Combination	\$5
<u>BAPI-STAT 4 TRIM RING</u>			
F11	ALC/BS4-TR	BAPI-Stat 4 Trim Ring	\$4
<u>ADAPTOR PLATES</u>			
F12	ALC/ADP-525-7-WMW	Adaptor Plate, 5.25 x 7" Warm White	\$18
	ALC/ADP-525-7-OFW	Adaptor Plate, 5.25 x 7" Off White	\$18
	ALC/ADP-525-7-CPW	Adaptor Plate, 5.25 x 7" Copla White	\$21
	ALC/ADP-525-7-CDW	Adaptor Plate, 5.25 x 7" Cloud White	\$21
	ALC/ADP-53-53-WMW	Adaptor Plate, 5.3 x 5.3" Warm White	\$18
	ALC/ADP-53-53-OFW	Adaptor Plate, 5.3 x 5.3" Off White	\$18
	ALC/ADP-53-53-CPW	Adaptor Plate, 5.3 x 5.3" Copla White	\$21
	ALC/ADP-53-53-CDW	Adaptor Plate, 5.3 x 5.3" Cloud White	\$21
	ALC/ADP-37-55-WMW	Adaptor Plate, 3.75 x 5.5" Warm White	\$18
	ALC/ADP-37-55-OFW	Adaptor Plate, 3.75 x 5.5" Off White	\$18
	ALC/ADP-37-55-CPW	Adaptor Plate, 3.75 x 5.5" Copla White	\$21
	ALC/ADP-37-55-CDW	Adaptor Plate, 3.75 x 5.5" Cloud White	\$21
	ALC/ADP-37-55-WMW-UK	Adaptor Plate (Europe), 3.75 x 5.5" Warm White	\$18
	ALC/ADP-37-55-OFW-UK	Adaptor Plate (Europe), 3.75 x 5.5" Off White	\$18
	ALC/ADP-37-55-CPW-UK	Adaptor Plate (Europe), 3.75 x 5.5" Copla White	\$21
	ALC/ADP-37-55-CDW-UK	Adaptor Plate (Europe), 3.75 x 5.5" Cloud White	\$21
<u>BAPI-GUARD THERMOSTAT PROTECTOR</u>			
F14	ALC/BG	Larger BAPI-Guard Thermostat Protector	\$45
	ALC/BG2	Smaller BAPI-Guard 2 Thermostat Protector	\$35
	ALC/KEY16187	Replacement Key for BAPI-Guard and BAPI-Guard 2 (*Net Price, no multiplier)	\$2*



Page	Part Number	Description	List Price
		<u>BAPI CLEAN CUT</u>	
F15	ALC/CLN-CUT-50	1/2" threaded knockout cutting tool for BAPI-Box and BAPI-Box 2	\$100
		<u>DS6R - DRY SWITCH MONITOR</u>	
F16	ALC/DS6R	Dry Switch Monitor, 30K Output	\$95
	ALC/DS6R-10K	Dry Switch Monitor, 10K Output	\$95
		<u>EA2 - MODULATING ACTUATOR INTERFACE</u>	
F17	ALC/EA2	Modulating Acuator Interface	\$87
		<u>OAM - OUTPUT ADJUST MODULE</u>	
F18	ALC/OAM	Output Adjust Module	\$23
		<u>BP2, BP4 & BP8 BACKPLANES AND VERTICAL BACKPLANE</u>	
F19	ALC/BP2	2-Position Interface Backplane	\$30
	ALC/BP4	4-Position Interface Backplane	\$40
	ALC/BP8	8-Position Interface Backplane	\$65
	ALC/BP4-V	Vertical Backplane	\$40
	ALC/BP-BR	Bridge (to connect Vertical Backplanes)	\$22
		<u>TRK - SNAPTRACK</u>	
F20	ALC/TRK01	TR2 Snaptrack, 1.27" length	\$5
	ALC/TRK02	TR2 Snaptrack, 2" length	\$6
	ALC/TRK04	TR2 Snaptrack, 4" length	\$8
	ALC/TRK08	TR2 Snaptrack, 8" length	\$10
	ALC/TRK12	TR2 Snaptrack, 12" length	\$12
	ALC/TRK18	TR2 Snaptrack, 18" length	\$14
	ALC/TRK48	TR2 Snaptrack, 48" length	\$40
		<u>DUCT & OUTSIDE AIR REPLACEMENT HUMIDITY SENSOR FILTER</u>	
F21	ALC/HDOFS3	Stainless Steel 100 Micron Humidity Sensor Filter	\$30
		<u>PIERCEABLE KNOCKOUT PLUGS FOR BAPI-BOX 4 ENCLOSURES</u>	
F22	ALC/PKP-100	Pierceable Knockout Plugs for the BAPI-Box 4 Enclosure, pack of 100	\$55
		<u>FLEXIBLE PROBE BRACKET</u>	
F22	ALC/FPB-50	50 Flexible Probe Brackets	\$157

Gray shaded items follow the Buy and Resale Multiplier.

